
पाइल ड्राइविंग हथौड़ा — विशिष्टि
(पहला पुनरीक्षण)

Pile Driving Hammer — Specification
(First Revision)

ICS 91.220

© BIS 2023



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, 9 बहादुर शाह ज़फर मार्ग, नई दिल्ली - 110002
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI - 110002
www.bis.gov.in www.standardsbis.in

May 2023

Price Group 4

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Construction Plant and Machinery Sectional Committee had been approved by the Mechanical Engineering Divisional Council.

This standard was first published in 1972. This standard is being revised again to keep pace with the latest technological developments and international practices. In this revision, the following major changes have been made:

- a) A reference clause has been added mentioning the latest version of all the referred standards;
- b) New clauses 6.1 and 6.2 on marking has been added; and
- c) Editorial corrections have been done.

This standard has been prepared to assist manufactures and designers in the production of pile hammers to certain standardized parameters. The object is to keep weights of hammers to a limited range and to standardize weight interval and stroke and thus facilitate their use with piling rigs and piling attachments of different plants. Standard sizes of hammers will assist the user in determining the type and size of hammer he may procure to plan his project accordingly. This will further assist in early deliveries and replacements. The designers and manufacturers may use their ingenuity to evolve improved designs (within the sizes given) which may prove more economical in the long run.

The composition of the Committee responsible for the formulation of this standard is listed in Annex A.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test shall be rounded off in accordance with IS 2 : 2022 'Rules for rounding off numerical values (*second revision*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard
PILE DRIVING HAMMER — SPECIFICATION
(First Revision)

1 SCOPE

This Indian Standard specifies the weights and strokes for different types of pile hammers, the two important parameters on which the energy of the hammer depends.

2 REFERENCES

The standard listed below contains provisions which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreement based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standard indicated below:

<i>IS No.</i>	<i>Title</i>
IS 6427 : 1972	Glossary of terms relating to pile driving equipment

3 TERMINOLOGY

For the purpose of this standard, the definitions given in IS 6427 shall apply.

4 CLASSIFICATION

Pile hammers shall be classified as given in Table 1.

5 SIZES

The recommended sizes (weight of ram or the striking part) and stroke of different types of hammers shall be as given in Table 2.

Table 1 Classification of Pile Driving Hammers
(Clause 4)

Sl No.	Class	Weight (kg)
(1)	(2)	(3)
i)	Light hammers	Up to 500
ii)	Medium hammers	Over 500 and up to 2 500
iii)	Heavy hammers	Over 2 500

Table 2 Sizes (Weight of Ram or the Striking Part) and Stroke of Different Types of Hammers
(Clause 5)

Sl No.	Type of Hammer	Light (Up to 500 kg)	Medium (Over 500 kg Up to 2 500 kg)	Heavy (Over 2 500 kg)
(1)	(2)	(3)	(4)	(5)
i)	Drop hammer	250 to 500 kg at multiples of 125	750 kg to 2 500 kg at multiples of 250	2 750 kg to 4 500 kg at multiples of 250
ii)	Single acting capable of working on steam or air at 5.5 kg/cm ² at the hammer	a) 25 kg to 100 kg at multiples of 25 kg at maximum stroke of 20 cm b) 100 kg to 500 kg at multiples of 100 kg at maximum stroke of 40 cm	750 kg to 2 500 kg at multiples of 250, at maximum stroke of 90 cm	3 000 kg to 7 500 kg at multiples of 500 kg at maximum stroke of 120 cm

Table 2 (Concluded)

Sl No.	Type of Hammer	Light (Up to 500 kg)	Medium (Over 500 kg Up to 2 500 kg)	Heavy (Over 2 500 kg)
(1)	(2)	(3)	(4)	(5)
iii)	Double acting capable of working on steam or air at 5.5 kg/cm ² at the hammer	a) 25 kg to 100 kg at multiples of 25 kg at maximum stroke of 25 cm b) 100 kg to 500 kg at multiples of 100 kg at maximum stroke of 25 cm	750 kg to 2 500 kg at multiples of 500 kg at maximum stroke of 45 cm	—
iv)	Diesel hammer	500 kg at maximum stroke of 250 cm	Over 500 kg up to 2 500 kg at multiples of 500 kg at maximum stroke of 250 cm	—

6 MARKING**6.1 Rating Plate**

Each hammer shall have a rating plate firmly attached to some part which will not be easily removable. The plate shall have clearly marked on it the following information:

- a) Manufacturer's name and address;
- b) Month and year of manufacture;
- c) Machine name and model number; and
- d) Hammer size.

6.2 BIS Certification Marking

The product(s) conforming to the requirements of this standard may be certified as per the conformity assessment schemes under the provisions of the *Bureau of Indian Standards Act, 2016* and the Rules and Regulations framed thereunder, and the product(s) may be marked with the Standard Mark.

ANNEX A

(Foreword)

COMMITTEE COMPOSITION

Construction Plant and Machinery Sectional Committee, MED 18

<i>Organization</i>	<i>Representative(s)</i>
Directorate General of Quality Assurance, Ministry of Defence, New Delhi	BRIG P. K. SHRIVASTAVA (<i>Chairperson</i>)
AIMIL Limited, New Delhi	SHRI ROHITASH BARUA SHRI KULDEEP SHARMA (<i>Alternate</i>)
Airports Authority of India, New Delhi	SHRI G.K. CHOUDHARY SHRI R.L. SHARMA (<i>Alternate</i>)
Ajax Engineering Private Limited, Bengaluru	SYED MOHAMMED RIAZ NAWAZ SHRI JORLIN P. V. (<i>Alternate I</i>) SHRI MANJUNATH D. JAGGAL (<i>Alternate II</i>) SHRI KRISHNA KISHORE (<i>Alternate III</i>)
Ammann Apollo India Private Limited, Jagudan, Gujarat	SHRI GIRISH DIXIT SHRI ASHISH PATEL (<i>Alternate I</i>) SHRI MANAN RAJPURA (<i>Alternate II</i>) SHRI PRASAD DAYAL (<i>Alternate III</i>) SHRI GEETESH MAKADIA (<i>Alternate IV</i>) SHRI ARPAN PATEL (<i>Alternate V</i>) SHRI KARTIK TRIVEDI (<i>Alternate VI</i>)
Atlas Copco India Limited, Pune	SHRI VIJAY SHARMA SHRI YOGESH TULJAPURKAR (<i>Alternate</i>)
B. G. Shirke Construction Technology Limited, Pune	SHRI A.D. BHOSALE SHRI SUNIL KEDAR (<i>Alternate</i>)
Builders Association of India, Mumbai	SHRI V. G. SAKTHIKUMAR
CSIR - Central Building Research Institute, Roorkee	DR SUVIR SINGH DR BANTI A. GEDAM (<i>Alternate</i>)
Caterpillar India Private Limited, Chennai	SHRI K. REJI JOSE SHRI RAMESH VISHWANATHAN (<i>Alternate</i>)
Central Water Commission, New Delhi	SHRI DILIP KUMAR JHA SHRI KRISHNAJI SINGH (<i>Alternate</i>)
Directorate General Border Roads, New Delhi	COL AMIT BHARDWAJ
Directorate General of Quality Assurance, Ministry of Defense, New Delhi	COL RAVI LOGANATHAN LT COL S. TALEWAR (<i>Alternate</i>)

<i>Organization</i>	<i>Representative(s)</i>
Escorts Construction Equipment Limited, Faridabad	SHRI FAIZ AHMAD SHRI ASHOK CHAUHAN SHRI LAXMI CHAND TYAGI (<i>Alternate</i>)
Epiroc Mining India Limited, Nashik	SHRI VENKATESAN BASHYAM SHRI MUTTANNA JAPANNAVAR (<i>Alternate</i>)
IRCON International Limited, New Delhi	SHRI RANDHIR GUPTA SHRI S. K. RAY (<i>Alternate</i>)
Indian Construction Equipment Manufacturers Association, New Delhi	SHRI K. V. KRISHNAMURTHY
Jaypee India Limited, Kolkata	SHRI KUMAR M. MEHTA SHRI RAHUL KUMAR TEOTIA (<i>Alternate</i>)
John Deere India Private Limited, Mumbai	SHRI KARTHIK KALIAPPAN SHRI RAJ ANAND (<i>Alternate</i>)
Larsen and Toubro Construction Limited, Karnataka	SHRI GURUPRASAD S. R. SHRI DHANAJI HARIBA MANGUDE (<i>Alternate</i>)
Larsen and Toubro Limited, Bengaluru	SHRI K. KESHAVA SHRI M. SURESH KUMAR (<i>Alternate</i>)
Ministry of Road Transport and Highways, New Delhi	SHRI K. C. SHARMA SHRI JITENDRA KUMAR (<i>Alternate</i>)
National Council for Cement and Building Materials, Faridabad	SHRI KAPIL KUKREJA SHRI SAURABH BHATNAGAR (<i>Alternate</i>)
Schwing Stetter (India) Private Limited, New Delhi	SHRI RAJEEV SHALIA SHRI VARADHARAJAN R. (<i>Alternate</i>)
Volvo Construction Equipments India Private Limited, Bengaluru	SHRI V. R. SAI PRASAD POLIPALLI SHRI K. RAGHURAMAN (<i>Alternate</i>)
Wirtgen India Private Limited, Pune	SHRI DEEPAK BHOIR SHRI PARUL ARORA (<i>Alternate</i>)
In Personal Capacity (<i>Flat no. 3052, Prestige Shantiniketa, Whitefield main road, Bengaluru</i>)	SHRI S.N. MAHAJAN
In Personal Capacity (<i>D-24, Amar Colony , New Delhi</i>)	SHRI SATANDER KUMAR

Organization

BIS Directorate General

Representative(s)

SHRI RAJNEESH KHOSLA, SCIENTIST 'F'/SENIOR
DIRECTOR AND HEAD (MECHANICAL ENGINEERING)
[REPRESENTING DIRECTOR GENERAL (*Ex-officio*)]

Member Secretary

SHRI LOKRAJ MEENA
SCIENTIST 'B'/ASSISTANT DIRECTOR
(MECHANICAL ENGINEERING), BIS

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 2016* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Head (Publication & Sales), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the website- www.bis.gov.in or www.standardsbis.

This Indian Standard has been developed from Doc No.: MED 18 (20127).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002
Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.gov.in

Regional Offices:

	Telephones
Central : 601/A, Konnectus Tower -1, 6 th Floor, DMRC Building, Bhavbhuti Marg, New Delhi 110002	{ 2323 7617
Eastern : 8 th Floor, Plot No 7/7 & 7/8, CP Block, Sector V, Salt Lake, Kolkata, West Bengal 700091	{ 2367 0012 2320 9474
Northern : Plot No. 4-A, Sector 27-B, Madhya Marg, Chandigarh 160019	{ 265 9930
Southern : C.I.T. Campus, IV Cross Road, Taramani, Chennai 600113	{ 2254 1442 2254 1216
Western : Plot No. E-9, Road No.-8, MIDC, Andheri (East), Mumbai 400093	{ 2821 8093

Branches : AHMEDABAD. BENGALURU. BHOPAL. BHUBANESHWAR. CHANDIGARH. CHENNAI. COIMBATORE. DEHRADUN. DELHI. FARIDABAD. GHAZIABAD. GUWAHATI. HIMACHAL PRADESH. HUBLI. HYDERABAD. JAIPUR. JAMMU & KASHMIR. JAMSHEDPUR. KOCHI. KOLKATA. LUCKNOW. MADURAI. MUMBAI. NAGPUR. NOIDA. PANIPAT. PATNA. PUNE. RAIPUR. RAJKOT. SURAT. VISAKHAPATNAM.